Sudan III Fat Stain, Herxheimer



Section 1

Product Description

Product Name:Sudan III Fat Stain, Herxheimer
Recommended Use:
Science education applications

Synonyms: Sudan III Stain, Fat Ponceau G Stain, Cerasin Red Stain

Distributor: Carolina Biological Supply Company 2700 York Road, Burlington, NC 27215

1-800-227-1150

Chemical Information: 800-227-1150 (8am-5pm (ET) M-F)

Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER







Highly flammable liquid and vapor. Causes serious eye irritation. May cause cancer. Causes damage to organs. Toxic to aquatic life.

GHS Classification:

Carcinogenicity Category 1A, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1, Flammable Liquid Category 2, Serious Eye Damage/Eye Irritation Category 2, Hazardous to the aquatic environment - Acute Category 2

Other Safety Precautions: IF exposed: Call a POISON CENTER or doctor/physician.

IF exposed or concerned: Get medical advice/attention.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS#	<u>%</u>
Acetone	67-64-1	49.9
Ethyl alcohol	64-17-5	30.05
Deionized Water	7732-18-5	15
Isopropyl Alcohol	67-63-0	1.68
Methanol	67-56-1	1.5
Sudan III	85-86-9	0.13

Section 4 First Aid Measures

Emergency and First Aid Procedures

Inhalation: In case of accident by inhalation: remove casualty to fresh air and keep at rest.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5 Firefighting Procedures

Extinguishing Media: Use dry chemical, CO2 or appropriate foam.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Fire and/or Explosion Hazards:

Fire or excessive heat may produce hazardous decomposition products. Vapors may travel back to ignition source. Closed Containers exposed to heat may explode.

Hazardous Combustion Products:

Carbon dioxide, Carbon monoxide

Section 6

Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill. Ventilate the contaminated area. Clean up spills immediately using Protective Equipment recommended in Section 8 at a minimum. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation. Keep upwind of the spilled material and isolate exposure.

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. If a spill or leak has not ignited, use water spray to flush away spills and disperse the vapors. Contain spilled liquid with sand or earth. DO NOT use combustible materials such as sawdust. Use appropriate personal protective equipment as stated in Section 8 of this MSDS. Advise the Environmental Protection Agency (EPA) and appropriate state agencies, if required. Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Vacuum or sweep up material and place in a disposal container. Gather and store in a sealed container pending a waste disposal evaluation.

Section 7

Handling and Storage

Handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../

equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face

protection. Use personal protective equipment as required.

Storage: Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Suitable for any

general chemical storage.

Storage Code: Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

Section 8

Protection Information

	ACC	OSHA PEL		
Chemical Name	<u>(TWA)</u>	(STEL)	<u>(TWA)</u>	(STEL)
Acetone	500 ppm TWA	750 ppm STEL	1000 ppm TWA;	N/A
			2400 mg/m3 TWA	
Ethyl alcohol	N/A	1000 ppm STEL	1000 ppm TWA;	N/A
			1900 mg/m3 TWA	
Isopropyl Alcohol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980	N/A
			mg/m3 TWA	
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260	N/A
			mg/m3 TWA	
Sudan III	N/A	N/A	N/A	N/A

Control Parameters

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when

handling or using this product to avoid overexposure.

Personal Protective Equipment (PPE):

Respiratory Protection:

Lab coat, apron, eye wash, safety shower.

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

If an exposure limit is exceeded provide respiratory protection.

Respirator Type(s): NIOSH approved air purifying respirator with organic vapor cartridge.

Eye Protection: Wear chemical splash goggles when handling this product. Have an eye wash station

available.

Skin Protection: Avoid skin contact by wearing chemically resistant gloves, an apron and other protective

equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving

work.

Gloves: Butyl rubber, Neoprene, Nitrile

Section 9

Physical Data

Formula: This product is a mixture.

Molecular Weight: No data available

Appearance: Dark Red Colorless Liquid

Odor: Moderate Fruity Alcohol Odor

Odor Threshold: No data available

pH: No data available

Melting Point: No data available -114 C
Boiling Point: No data available
Flash Point: No data available -20 C
Flammable Limits in Air: No data available

Vapor Pressure: No data available
Evaporation Rate (BuAc=1): No data available
Vapor Density (Air=1): No data available
Specific Gravity: No data available
Solubility in Water: Soluble

Log Pow (calculated): No data available
Autoignition Temperature: No data available
Decomposition Temperature: No data available

Viscosity: No data available Percent Volatile by Volume: 99%

Section 10

Reactivity Data

Reactivity: Not generally reactive under normal conditions.

Chemical Stability: Stable under normal conditions.

Conditions to Avoid: Temperatures above flash point in combination with sparks, open flames, or other

sources of ignition.

Incompatible Materials: Caustics (bases), Peroxides, Strong acids, Halogens, Water-reactive materials, Strong

oxidizing agents, Acids, Strong reducing agents, Magnesium

Hazardous Polymerization: Will not occur

Section 11

Toxicity Data

Routes of Entry Inhalation and ingestion.

Symptoms (Acute): Eye disorders, Dizziness, Depressed Activity, Central Nervous System Depression

Delayed Effects: No data available

Acute Toxicity:

Chemical Name Acetone	CAS Number 67-64-1	Oral LD50 Oral LD50 Mouse 3000 mg/kg	Dermal LD50 Dermal LD50 Rabbit 20000 mg/kg	Inhalation LC50 Inhalation LC50 (8h) Rat 50.1 MG/L
Deionized Water	7732-18-5	Oral LD50 Rat 90000 mg/kg	9	
Water		Oral LD50 Rat 90000 mg/kg		
Isopropyl Alcohol	67-63-0	Oral LD50 Rat 5045 mg/kg Oral LD50 Mouse 3600 mg/kg		INHALATION LC50 Rat 16000 ppm
Methanol	67-56-1	Oral LD50 Mouse 7300 mg/kg		INHALATION LC50 Rat 64000 ppm
Sudan III	85-86-9			• •

Carcinogenicity:

Chemical Name	CAS Number	IARC	NTP	OSHA
Acetone	67-64-1	Not listed	Not listed	Not listed
Ethyl alcohol	64-17-5	Listed	Listed	Listed
Isopropyl Alcohol	67-63-0	Listed	Not listed	Not listed

Methanol 67-56-1 Not listed Not listed Not listed Sudan III 85-86-9 Not listed Not listed Not listed

Chronic Effects:

Mutagenicity: No evidence of a mutagenic effect.

Teratogenicity: No evidence of a teratogenic effect (birth defect).

Sensitization: No evidence of a sensitization effect.

No evidence of negative reproductive effects. Reproductive:

Target Organ Effects:

Acute: Central Nervous System, Cardiovascular system, Eyes, No data available

Chronic: Male Reproductive System, Eyes, No data available

Section 12

Ecological Data

Overview: Moderate ecological hazard. This product may be dangerous to plants and/or wildlife. Keep out of

waterways.

Mobility: This material is expected to have only slight mobility in soil. It absorbs strongly to most soil types.

Persistence: Biodegradation Biodegradation is expected to be a major fate process for this material.

Bioaccumulation: No data No data Degradability: Other Adverse Effects: No data

Chemical Name CAS Number Eco Toxicity

Acetone 67-64-1 Aquatic LC50 (96h) Bluegill Sunfish 8300 MG/L Aquatic LC50 (96h) Rainbow Trout 4.74 - 6.33 ml/l Ethanol 64-17-5 Aquatic LC50 (96h) Fathead Minnow > 100 MG/L Water 7732-18-5 67-63-0 Aquatic LC50 (96h) Bluegill Sunfish > 1400 MG/L 2-propanol Methanol 67-56-1 Aquatic LC50 (96h) Fathead Minnow 11130 MG/L

Sudan III 85-86-9 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC]

No data available

96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 µG/L 96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC]

Aquatic EC50 (48h) Daphnia 12600 - 12700 MG/L

Aquatic EC50 (48h) Daphnia 2 MG/L Aquatic EC50 (24h) Daphnia 10800 MG/L Aquatic EC50 (48h) Daphnia 9268 - 14221 MG/L Aquatic EC50 (48h) Daphnia 13299 MG/L 48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 10800 MG/L

48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L

48 HR EC50 DAPHNIA MAGNA 13299 MG/L

72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L

Section 13

Disposal Information

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): If discarded, this product is considered a RCRA ignitable waste, D001.

Section 14

Transport Information

Ground - DOT Proper Shipping Name: Air - IATA Proper Shipping Name:

UN1090 UN1090

Flammable Liquid, N.O.S. (acetone, ethanol) Flammable Liquid, N.O.S. (acetone, ethanol)

Class 3 Class 3 PG II PG II

Section 15

Regulatory Information

TSCA Status: All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Acetone	67-64-1	No	No	5000 lb final RQ; (2270 kg)	No	No
Isopropyl Alcohol	67-63-0	No	No	No	No	No
Methanol	67-56-1	Methanol	No	5000 lb final RQ; (2270 kg)	No	No
Sudan III	85-86-9	No	No	No	No	No

California Prop 65:



WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Section 16	Additional
	Information

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary ACGIH	American Conference of Governmental Industrial Hygienists	NTP OSHA	National Toxicology Program Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health