

SAFETY DATA SHEET

Creation Date 05-Jun-2014

Revision Date 17-Jan-2018

Revision Number 4

1. Identification Product Name Potassium Chromate Solution, 5% (APHA) Cat No. : SP152-500 Synonyms Indicator solution for volumetric chloride determination. Recommended Use Uses advised against Laboratory chemicals. Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1A

Label Elements

Signal Word Danger

Hazard Statements

May cause an allergic skin reaction May cause genetic defects May cause cancer by inhalation



Precautionary Statements

Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Response IF exposed or concerned: Get medical attention/advice Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Water	7732-18-5	95.0
Potassium chromate	7789-00-6	4.5 - 5.5
Silver nitrate	7761-88-8	0.007

4. First-aid measures	
General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Inhalation	Move to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effects	None reasonably foreseeable May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Notes to Physician	Treat symptomatically
	5. Fire-fighting measures
Unsuitable Extinguishing Media	No information available
Flash Point Method -	Not applicable No information available

Autoignition Temperature Explosion Limits	No information available
•	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	0	N/A
	6. Accidental re	lease measures	
Personal Precautions	Use personal protective eq	uipment. Ensure adequate ver	tilation.
Environmental Precautions	Should not be released into	the environment.	

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Potassium chromate	TWA: 0.05 mg/m ³	(Vacated) Ceiling: 0.1 mg/m ³	IDLH: 15 mg/m ³	TWA: 0.05 mg/m ³ TWA: 0.5
	-	Ceiling: 0.1 mg/m ³	TWA: 0.0002 mg/m ³	mg/m ³
Silver nitrate	TWA: 0.01 mg/m ³	(Vacated) TWA: 0.01 mg/m ³	IDLH: 10 mg/m ³	TWA: 0.01 mg/m ³
	-	· · · · · ·	TWA: 0.01 mg/m ³	_

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by
-	OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard
	EN166.

Skin and body protection	Long sleeved clothing.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Yellow
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	0 °C / 32 °F
Boiling Point/Range	100 °C / 212 °F
Flash Point	Not applicable
Evaporation Rate	> 1 (Ether = 1.0)
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	14 mmHg
Vapor Density	0.7
Specific Gravity	1.03
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Excess heat.
Incompatible Materials	None known
Hazardous Decomposition Product	${f s}$ Thermal decomposition can lead to release of irritating gases and vapors
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

No acute toxicity information is available for this product

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	Not listed	Not listed
Silver nitrate	> 2000 mg/kg (Rat)	Not listed	Not listed
oxicologically Synergistic	No information available		
Products			
Delayed and immediate effects	as well as chronic effects fron	n short and long-term exposur	e

Irritation	No information available

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed	
Potassium chromate	7789-00-6	Group 1	Known	A1	Х	A1	
Silver nitrate	7761-88-8	Not listed	Not listed	Not listed	Not listed	Not listed	
IARC: (International Agency for Research on Cancer) IARC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans MTP: (National Toxicity Program) NTP: (National Toxicity Program) ACGIH: (American Conference of Governmental Industrial Hygienists) Mexico - Occupational Exposure Limits - Carcinogens Mexico - Occupational Exposure Limits - Carcinogens A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A2 - Suspected Human Carcinogen ACGIH: (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen A3 - Animal Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Human Carcinogen A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A1 - Confirmed Human Carcinogen A3 - Confirmed Human Carcinogen A3 - Confirmed Animal Carcinogen A4 - Not Classifiable as a Human Carcinogen					be a Human lustrial Hygienists)		
Mutagenic Effects		No information ava		spected as a Humar	n Carcinogen		
Reproductive Effects	3	No information available.					
Developmental Effec	ts	No information available.					
Teratogenicity		No information ava	ailable.				
STOT - single expose STOT - repeated exp		None known None known					
Aspiration hazard		No information ava	ailable				
Symptoms / effects,both acute and delayedSymptoms of allergic reaction may include rash, itching, swelling, trouble be of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain							
Endocrine Disruptor Information No information available							
Other Adverse Effects The toxicological properties have not been fully investigated.							

12. Ecological information

Ecotoxicity This product contains the following substance(s) which are hazardous for the environment. .

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Potassium chromate	Not listed	Pimephales promelas:	Not listed	EC50 = 0.015 mg/L/48h
		LC50=40 mg/L/96h		_
Silver nitrate	-	Leuciscus idus: LC50: 0.029	Photobacterium	EC50: 0.0006 mg/L/48h
		mg/L/96h	phosphoreum: EC50: 0.038	_
		-	mg/L/24h	
			Photobacterium	
			phosphoreum: EC50: 0.395	
			mg/l/15min	
			Photobacterium	
			phosphoreum: EC50: 0.44	

	mg/L/30 min as Ag++ Photobacterium phosphoreum: EC50: 0.86	
	mg/L/15 min as Ag++	

Persistence and Degradability

No information available

Bioaccumulation/Accumulation

No information available.

Mobility

Component	log Pow
Silver nitrate	0.19

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information		
DOT	Not regulated		
DOT TDG IATA	Not regulated		
IATA	Not regulated		
IMDG/IMO	Not regulated		
15. Regulatory information			

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Water	Х	Х	-	231-791-2	-		Х	-	Х	Х	Х
Potassium chromate	Х	Х	-	232-140-5	-		Х	Х	Х	Х	Х
Silver nitrate	Х	Х	-	231-853-9	-		Х	Х	Х	Х	Х

- Legend:
- X Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

Silver nitrate

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Component TSCA 12(b)				
Potassium chromate	Section 6			
SARA 313				
Component	6-No	Weight %	SARA 313 - Threshold	
				Values %
Potassium chromate	7789	-00-6	4.5 - 5.5	0.1

7761-88-8

0.007

1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Potassium chromate	Х	10 lb	Х	-
Silver nitrate	X	1 lb	Х	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Potassium chromate	Х		-

OSHA Occupational Safety and Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Potassium chromate	5 µg/m³ TWA	-
	2.5 µg/m ³ Action Level	

CERCLA

Component		Hazardous Substances RQs	CERCLA EHS RQs	
Potassium chromate		10 lb	-	
Silver nitrate		1 lb	-	
California Proposition 65				

California Proposition 65 This product contains the following proposition 65 chemicals

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Potassium chromate	7789-00-6	Carcinogen	0.001 µg/day	Developmental
		Developmental		Carcinogen
		Female Reproductive		-
		Male Reproductive		

U.S. State Right-to-Know Regulations

Regulations					
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	Х	-	-
Potassium chromate	Х	Х	Х	Х	Х
Silver nitrate	Х	Х	X	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

```
Mexico - Grade
```

No information available

	16. Other information
Prepared By	Regulatory Affairs
	Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	05-Jun-2014
Revision Date	17-Jan-2018
Print Date	17-Jan-2018
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

