Reviewed On: 04/22/2016

🍪 BD

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

1 Identification

- · Product Identifier:
- · Product Name: SBG Sulfa Enrichment
- · Catalog Number: 271510
- · Application of the substance / the mixture Laboratory Chemicals
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: BD Diagnostic Systems
 7 Loveton Circle Sparks, MD 21152
 Telephone: (410) 771 - 0100 or (800) 638 – 8663
 Email Address: Technical_Services@bd.com
 Information Department: Technical Service
- Emergency telephone number: In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

2 Hazard(s) identification

· Classification o	· Classification of the substance or mixture		
GHS06 Skull and crossbones			
Acute Tox. 2	H300 Fatal if swallowed.		
GHS07	*		
Acute Tox. 4	H332 Harmful if inhaled.		
Skin Sens. 1	H317 May cause an allergic skin reaction.		
Aquatic Chronic	3 H412 Harmful to aquatic life with long lasting effects.		
 Label elements GHS label elements The product is c Hazard pictogram 	nents lassified and labeled according to the Globally Harmonized System (GHS).		
GHS06 GHS07			
· Signal word Da	anger		
	ining components of labeling:		
sodium selenite	(Contd. on page 2)		

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: SBG Sulfa Enrichment

(Contd. of page 1) · Hazard statements H300 Fatal if swallowed. H332 Harmful if inhaled. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. · Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves/protective clothing/eye protection/face protection. P273 Avoid release to the environment. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Specific treatment (see on this label). P321 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. P363 Wash contaminated clothing before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P330 Rinse mouth. P302+P352 IF ON SKIN: Wash with plenty of water. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. · NFPA ratings (scale 0-4) Health = 3Flammability = 0Reactivity = 0· HMIS ratings (scale 0-4) HEALTH Health = 33 FIRE 0 Flammability = 0**REACTIVITY** O Reactivity = 0 · Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients

· Chemical characterization: Mixture

· Description: Mixture consisting of the following components.

(Contd. on page 3)

US



Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: SBG Sulfa Enrichment

(Contd. of page 2)

16.5%

•	Da	ang	jero	us	Comp	0	nents:
	-						

CAS: 10102-18-8	
EINECS: 233-267-9	Acute Tox. 2, H300; Acute Tox. 3, H331; Aquatic Chronic 2,
	H411; Skin Sens. 1, H317

· Additional information Risk phrases refer to section 15.

4 First-aid measures

- · Description of first aid measures
- General information Symptoms of poisoning may even occur after several hours; therefore provide medical observation for at least 48 hours after the accident.
- · After inhalation Seek medical treatment in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact
- Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- · After swallowing Immediately call a doctor.
- · Information for doctor Show this product label or this SDS.
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents

CO2, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions: Wipe up with damp sponge or mop.

· Methods and material for containment and cleaning up: Ensure adequate ventilation.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: SBG Sulfa Enrichment

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Do not store together with oxidizing and acidic materials.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed containers.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see Section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

10102-18-8 sodium selenite

PEL 0.2 mg/m³ as Se REL 0.2 mg/m³ as Se TLV 0.2 mg/m^3 as Se

· Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
- · Personal Protective Equipment
- · General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.
- · Breathing equipment: In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: SBG Sulfa Enrichment

(Contd. of page 4)

· Protection of hands:



Chemical resistant gloves (i.e. nitrile, or equivalent).

· Eye protection: Safety glasses

· Body protection: Protective work clothing (lab coat).

Information on basic physical	and chemical properties
General Information	
Appearance:	
Form:	Solid. Powder
Color:	Light beige
Odor:	Characteristic
pH-value at 25 °C (77 °F):	7.2 +/- 0.2
Change in condition Melting point/Melting range: Boiling point/Boiling range:	
Flash point:	Not applicable
Auto igniting:	Product is not self igniting.
Danger of explosion:	Product does not present an explosion hazard.
Density:	Not determined
Solubility in / Miscibility with Water:	Soluble
Solvent content:	
Solids content:	100.0 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known

(Contd. on page 6)

[–] US

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: SBG Sulfa Enrichment

(Contd. of page 5)

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Incompatable material: mineral acids, oxidizers, and reducers.
- · Hazardous decomposition products:
- Carbon dioxide (CO2) selenium/selium oxides (Se/SeOx)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- 10102-18-8 sodium selenite

Oral LD50 7 mg/kg (rat)

· Primary irritant effect:

- · on the skin: No irritating effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Other information (about experimental toxicology):

This product has a LD50 of 40.2 mg/Kg (oral-rat) based on sodium selenite content.

- · Subacute to chronic toxicity: Target organs: kidney, spleen, and liver.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

 IARC (International Agency for Research on Cancer) 			
10102-18-8 sodium selenite	3		
· NTP (National Toxicology Program)			
10102-18-8 sodium selenite	R		
· OSHA-Ca (Occupational Safety & Health Administration)			
None of the ingredients is listed.			

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 7)

US

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: SBG Sulfa Enrichment

(Contd. of page 6)

- *Mobility in soil* No further relevant information available.
- · Ecotoxical effects:
- · Other information:

The ecological effects have not been thoroughly investigated, but currently none have been identified.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation
- Must not be disposed of with solid waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements. RCRA hazardous waste - RCRA # D010 (selenium).

- Uncleaned packagings:
- Recommendation: Disposal must be made according to state and federal regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT IMDG, IATA	UN3283 3283
UN proper shipping name IMDG	SELENIUM COMPOUND, SOLID, N.O.S. (sodium selenite)
ΙΑΤΑ	SELENIUM COMPOUND, SOLID, N.O.S.
Transport hazard class(es)	
DOT	
TOXIC 6	
Class	6.1 Toxic substances



Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

duct Name: SBG Sulfa Enrichment	
	(Contd. of page
· Label	6.1
· IMDG, IATA	
· Class	6.1 Toxic substances
· Label	6.1
· Packing group	
· DOT, IMDG, IATA	11
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Toxic substances
· Danger code (Kemler): · EMS Number:	66 F-A,S-A
	,
 Transport in bulk according to Ann MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
-	
·DOT	
· Remarks:	Limited quantity
·IMDG	
· Remarks:	Limited quantity
· Remarks:	Limited quantity
· UN "Model Regulation":	UN3283, SELENIUM COMPOUND, SOLID, N.O.S. (sodium selenite), 6.1, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· SARA Section 355 (extremely hazardous substances)

10102-18-8 sodium selenite

· SARA Section 313 (specific toxic chemical listings)

10102-18-8 sodium selenite

(Contd. on page 9) US



Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: SBG Sulfa Enrichment

(Contd. of page 8)

· TSCA (Toxic	Substances	Control Act)	

8013-01-2 yeast extract

69-65-8 mannitol 10102-18-8 sodium selenite

7758-11-4 potassium phosphate, dibasic

7778-77-0 potassium phosphate, monobasic

145-42-6 sodium taurocholate

633-03-4 brilliant green

· California Proposition 65 - Chemicals known to cause cancer

None of the ingredients is listed.

 California Proposition 65 - Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

 California Proposition 65 - Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.

· California Proposition 65 - Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· TLV (Threshold Limit Value established by ACGIH)

10102-18-8 sodium selenite

0.2 mg/kg as Se

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

 Hazard-determining components of labeling: sodium selenite

Hazard statements
H300 Fatal if swallowed.
H332 Harmful if inhaled.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 10)

US



Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: SBG Sulfa Enrichment

(Contd. of page 9)

P273	Avoid release to the environment.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P321	Specific treatment (see on this label).
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P363	Wash contaminated clothing before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P330	Rinse mouth.
P302+P352	IF ON SKIN: Wash with plenty of water.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

• **Department issuing SDS:** Environmental, Health & Safety

Created by Michael J. Spinazzola

• Contact: Technical Service Representative

· Date of preparation / last revision 06/03/2016 / 1

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

(Contd. on page 11)

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: SBG Sulfa Enrichment

(Contd. of page 10)

REL: Recommended Exposure Limit Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

US

